

Trinidad & Tobago Meteorological Service

Agromet Forecast

Page 1 of 4

Agro-Meteorological Forecast for the Third Dekad of October (21st -31st) 2017.

Definition Guide

Term	Amount of Rain	Type of day
Scanty Rainfall	Less than 1 mm	Relatively dry day
Moderate Rainfall	1-10 mm	Relatively wet day
Heavy Rainfall	10-50 mm	Wet day
Very heavy Rainfall	Greater than 50 mm	Excessively wet day

Trinidad's Mean Daily Rainfall Forecast for the Third Dekad of October (21st -31st) 2017.

Northern & Northwestern areas:

Moderate chance (64%) of mean daily rainfall up to 8.5 mm.

North-Eastern and Eastern areas:

Moderate chance (70%) of mean daily rainfall up to 10.9 mm.

Central, West-Central and inland areas:

Moderate chance (64%) of mean daily rainfall up to 8.6 mm.

South-Eastern areas:

Moderate chance (70%) of mean daily rainfall up to 11.0 mm.

Southern areas:

Moderate chance (65%) of mean daily rainfall up to 8.5 mm.

South-Western areas:

Moderate chance (61%) of mean daily rainfall up to 6.7 mm.



Trinidad & Tobago Meteorological Service

Agromet Forecast

Page 2 of 4




Figure 1. Rainfall Map of Trinidad showing possible rainfall totals for varying districts during third dekad of October, 2017 and percentage probability of occurrence.



Trinidad & Tobago Meteorological Service

Agromet Forecast

Page 3 of 4

Tobago's Mean Daily Rainfall Forecast for the Third Dekad of October (21st -31st) 2017.

Northeastern areas:

Moderate chance (69%) of mean daily rainfall up to 7.6 mm.

South-Western areas:

Moderate chance (69%) of mean daily rainfall up to 7.6 mm.




Figure 1. Rainfall Map of Trinidad showing possible rainfall totals for varying districts during Third Dekad of October, 2017 and percentage probability of occurrence.



Trinidad & Tobago Meteorological Service

Agromet Forecast

Page 4 of 4

Temperatures:

Trinidad's Temperature Forecast for the Third Dekad of October (21st -31st) 2017.

Moderate chance (70%) of daily maximum temperatures to exceed 32.0 °C, peaking near 34.5 °C.

Moderate chance (70%) of daily minimum temperatures to be below 24.2 0 C, dropping as low as 23.8 0 C.

Tobago's Temperature Forecast for the Third Dekad of October (21st -31st) 2017.

Moderate chance (70%) of daily maximum temperatures to exceed 31.7 0 C, peaking near 32.7 0 C. Moderate chance (70%) of daily minimum temperatures to be below 24.4 0 C, dropping as low as 24.2 0 C.

Summary:

The rainy season is upon us, having said that, the first half of the dekad, there is a 65% chance of a low level moist southeasterly to easterly wind flow gradually establishing itself over both islands producing patchy cloudy to cloudy periods with mostly light to moderate, occasionally heavy showers or possible thundershowers at times. The forecast maximum temperatures in Trinidad will be near 33.0 °C, while Tobago's forecast maximums will be near 32.0 °C with forecast minimums near 23.7 °C in Trinidad and near 24.4 °C in Tobago. During the second half of the dekad, possible better conditions may occur, expect mostly patchy cloudy skies with less cloudy periods and brief light occasionally moderate showers which will disperse to give sunny, breezy and/or hazy conditions at times, with high temperatures of 34.2 °C in Trinidad and 32.7 °C in Tobago. Generally clear nights will give low temperatures of 22.6 °C in Trinidad and 23.2 °C in Tobago.

Over the ten-day period, Trinidad's highest possible daily rainfall totals will range between 30.0 mm to 60.0 mm, with its ten-day totals ranging between 60.0 mm and 110.0 mm, as seen in figures 1. While Tobago's highest possible daily rainfall totals will range between 30.0 mm and 40.0 mm, with its ten-day totals ranging between 60.0 mm and 80.0 mm, as seen in figures 2.

Waterlogged soils are expected over few areas during wet days, flash flooding on streets at times, riverine and flooding in low lying areas are highly probable during those wet and humid days. In addition, soggy agricultural fields have the potential for reduced soil oxygen and increase loss of natural nitrogen during those days. Also there is an increase chance of pest and diseases especially the spread of fungi on crops and crop rot following those wet and humid days.